

Dam: Sep

Country France

River Sep

46°01'47.92"N 03°01'25.51"E

46.02998 3.023753

Owner/Client Syndicat Mixte pour l'Aménagement de la Haute Morge (SMAHM)

Designer/Engineer Somival

Contractor Bec Frères and Ballot (J.V.)

Purpose (code) I

Site start 01.04.1993

RCC start 01.09.1993

RCC completion 10.01.1994

Site completion 31.03.1994

Height (m) 46

Length (m) 145

Volume of RCC (m³x10³) 49

Total volume (m³x10³) 58

Reservoir capacity (m³x10⁶) 5

Upstream slope V

Forming of upstream face (code) (11)

Downstream slope 0.72

Forming of downstream face (code) (16)

Spillway slope 0.72

Forming of spillway face (code) (3) *

Depth of layers (mm) 300

Depth of lifts (mm) 300

Cement content (kg/m³) Unknown

Pozzolan content (kg/m³) 120

Code for pozzolan (R)

RCCDAM Unique Serial No. RCCDAM0134

Completed Dam



RCCDAM0134CD

Google Earth



RCCDAM0134GE

Guide to Abbreviations

Purpose

- E Environmental
- F Flood control
- G Groundwater recharge
- H Flood control
- I Irrigation
- N Navigation
- P Pollution control
- R Recreation
- W Water supply

Facing method

- (1) Traditional concrete against formwork
- (2) Traditional concrete against formwork with external geomembrane
- (3) RCC against formwork
- (4) RCC against formwork with external geomembrane
- (5) Traditional concrete against precast concrete panels
- (6) Traditional concrete against precast concrete panels with geomembrane
- (7) RCC against precast concrete panels
- (8) RCC against precast concrete panels with geomembrane
- (9) RCC against precast concrete panels with hot poured membrane
- (10) RCC against precast concrete blocks
- (11) Reinforced conventional concrete cast before RCC placement
- (12) Reinforced conventional concrete cast after RCC placement
- (13) Reinforced concrete cast against precast units or slip-formed facing elements
- (14) Slip-formed/extruded facing elements
- (15) RCC supported by fill shoulders
- (16) Mechanically compacted unformed face of RCC
- (17) Unformed face of RCC
 - ' GEVR/GE-RCC
 - * Stepped face

Pozzolans

- (-) No Pozzolan Used
- (C) High-lime flyash (ASTM Class C)
- (F) Low-lime flyash (ASTM Class F)
- (M) Milled sand
- (N) Natural pozzolan (ASTM Class N)
- (R) ROLAC (mixture of flyash and slag with or without limestone fines)
- (S) Ground-granulated blast-furnace slag
- (L) Mixture of GGBFS and limestone fines